屋外でも使用可能なIP65クラス防水仕様

標準付属のバンドアで照射範囲を調整可能！

Van door-Type

G3

RGB-3in1・12pcs×15W

15w　RGB　3色一体型LED
屋外でも使用できる防水仕様(IP65)
DMX-512 /3ch&7ch
照射角度:20度
バンドア標準付属

電　　源：100-220V　50/60Hz
消費電力：300W
防塵･防水：IP65
LED個数：12pcs×15W
ズーム機能搭載：RGB/3色一体型
照射角度：20°

Operating instruction manual

※ボタンにアルファベットの表記はされていません。

このLED照明機器には
LCDディスプレイと4つのボタンが付いています。

A(MENU) →メニューを順番に呼び出します。
B(UP) →メニュー番号、コマンドを順に呼び出します。
C(DOWN) →メニュー番号、コマンドを逆に呼び出します。
D(ENTER) →選ばれたメニューを選択実行、保存します。

Display operation

No	Function	instruction
1	A001	3ch address code, 001-512
2	D001	7ch address code, 001-512
3	TB00	7 Color saltus step, 01-99
4	ZB00	7 Color gradual change, 01-99
5	ZH00	7 Color compositional change, 01-99
6	JLBE	Sound control change 7 color
7	R255	Red color change 0-255
8	G255	Green color change 0-255
9	B255	Blue color change 0-255

DMX channel

DMX512 7channel instruction

No	Function	instruction
1	Master dimming	R,G,B Master dimming
2	Master Strobe	R,G,B Master dimming
3	Function choose	0-50:DMX 7control channel 51-100:Saltus step 101-150:Gradual change 151-200:Gradual change 201-255:Sound control
4	Speed	Speed From slow to fast
5	Red	Red Master dimming
6	Green	Green Master dimming
7	Blue	Blue Master dimming

DMX512 3channel instruction

No	Function	instruction
1	R dimming	Red
2	G dimming	Green
3	B dimming	Blue